

## SARL JEAN BUSER

### DISTRIBUTOR OF MECHANICAL COMPONENTS AND ACCESSORIES FOR PORSCHE AUTOMOBILES

4, Rue Édouard Vaillant

92300 Levallois-Perret, France

Telephone : 01 4140 0000 Facsimile : 01 4140 0781

[www.jeanbuser.com](http://www.jeanbuser.com)

#### **911.010473E: Exhaust manifold stud, M8 x 20 mm. 911 (65-83)**

Our M8 x 20 mm. crankcase and cylinder head stud has several uses in the Porsche parts program.

It is used as an **exhaust manifold stud** (2 studs per cylinder head) in the following vehicles:

Porsche 911 2.0 L (1965-1968)

Porsche 911 S 2.0 L (1967-1969)

Porsche 911 T 2.0 L (1968-1969)

Porsche 911 TU 2.0 L (1968)

Porsche 911 L 2.0 L (1968-1969)

Porsche 911 E 2.0 L (1969)

Porsche 911 T 2.2 L (1970-1971)

Porsche 911 E 2.2 L (1970-1971)

Porsche 911 E 2.4 L (1972-1973)

Porsche 911 S 2.2 L (1970-1971)

Porsche 911 S 2.4 L (1972-1973)

Porsche 911 TV 2.4 L (1972-1973)

Porsche 911 TE 2.4 L (1972-1973)

Porsche 911 TK 2.4 L (USA-CAN) (1973)

Porsche 911 Carrera 2.7 L (1973)

Porsche 911 2.7 L (1974-1977)

Porsche 911 S 2.7 L (1974-1977)

Porsche 911 S Carrera 2.7 L (1975) (USA-CAN)

Porsche 911 S Carrera 2.7 L (1975) (Version for California)

Porsche 911 Carrera 2.7 L 129 KW / 175 HP. (1974) (USA-CAN)

Porsche 911 Carrera 2.7 L (1974-1976)

Porsche 911 Carrera 3.0 L (1976-1977)

Porsche 911 SC 3.0 L (1978-1983)

Porsche 911 SC 3.0 L Sportomatic (1978-1980)

Porsche 914-6 2.0 L (1970-1972)

Porsche 914-6 Sportomatic 2.0 L (1970-1971)

Quantity required per vehicle in this application: 12

- It is used as a **stud on the cylinder heads** (2 studs per cylinder head) in the following vehicles:

Porsche 911 2.0 L (1965-1968)

Porsche 911 S 2.0 L (1967-1969)

Porsche 911 T 2.0 L (1968-1969)

Porsche 911 TU 2.0 L (1968)

Porsche 911 L 2.0 L (1968-1969)

Porsche 911 E 2.0 L (1969)

Porsche 911 T 2.2 L (1970-1971)

Porsche 911 E 2.2 L (1970-1971)

Porsche 911 E 2.4 L (1972-1973)

Porsche 911 S 2.2 L (1970-1971)

Porsche 911 S 2.4 L (1972-1973)

Porsche 911 TV 2.4 L (1972-1973)

Porsche 911 TE 2.4 L (1972-1973)

Porsche 911 TK 2.4 L (USA-CAN) (1973)

Porsche 911 Carrera 2.7 L (1973)

Porsche 911 2.7 L (1974-1977)

Porsche 911 S 2.7 L (1974-1977)

Porsche 911 S Carrera 2.7 L (1975) (Version for California)

Porsche 911 Carrera 2.7 L 129 KW / 175 HP. (1974) (USA-CAN)

Porsche 911 Carrera 2.7 L (1974-1976)

Porsche 911 Carrera 3.0 L (1976-1977)

Porsche 911 SC 3.0 L (1978-1983)

Porsche 911 SC 3.0 L Sportomatic (1978-1980)

Porsche 911 Carrera 3.2 L (1984-1989)

Porsche 911 Carrera 3.2 L Turbo-Look (1984)

Porsche 911 Carrera 3.2 L Speedster (1989)

Porsche 911 Turbo 3.0 L Type 930 (1975-1977)

Porsche 911 Turbo Carrera (USA-CAN) 3.0 L (1975-1977)

Porsche 911 Turbo 3.3 L Type 930 (1978-1989)

Porsche 964 Carrera 4 (1989-1994)

Porsche 964 Carrera 2 (1990-1994)

Porsche 964 Carrera 2 Tiptronic (1990-1994)

Porsche 964 Carrera 2 Speedster (1993-1994)

Porsche 964 Carrera RS M003 Club-Sport Version (1992)  
Porsche 964 Carrera RS M002 Touring Version (1992)  
Porsche 964 Carrera RS America (USA-CAN) (1992-1993)  
Porsche 964 Carrera 2 Turbo-Look (1992-1994)  
Porsche 964 Carrera 4 Turbo-Look (1991-1994)

Porsche 964 Turbo 3.3 L (1991-1992)  
Porsche 964 Turbo 3.6 L Type 965 (1993-1994)

Porsche 914-6 2.0 L (1970-1972)  
Porsche 914-6 Sportomatic 2.0 L (1970-1971)

Quantity required per vehicle in this application: 12

- it is used as a **support stud on the engine fan housing** in the following vehicles:

Porsche 911 2.7 L (1974-1977)  
Porsche 911 S 2.7 L (1974-1977)  
Porsche 911 S Carrera 2.7 L (1975) (USA-CAN)  
Porsche 911 S Carrera 2.7 L (1975) (Version for California)  
Porsche 911 Carrera 2.7 L 129 KW / 175 HP. (1974) (USA-CAN)  
Porsche 911 Carrera 2.7 L (1974-1976)  
Porsche 911 Carrera 3.0 L (1976-1977)

Porsche 911 SC 3.0 L (1978-1983)  
Porsche 911 SC 3.0 L Sportomatic (1978-1980)

Porsche 911 Carrera 3.2 L (1984-1989)  
Porsche 911 Carrera 3.2 L Turbo-Look (1984)  
Porsche 911 Carrera 3.2 L Speedster (1989)

Porsche 911 Turbo 3.0 L Type 930 (1975-1977)  
Porsche 911 Turbo Carrera (USA-CAN) 3.0 L (1975-1977)

Porsche 911 Turbo 3.3 L Type 930 (1978-1989)

Quantity required per vehicle in this application: 2

- it is used as a **stud to secure the oil pump on the left crankcase half** in the following vehicles:

Porsche 911 2.0 L (1965-1968)  
Porsche 911 S 2.0 L (1967-1969)  
Porsche 911 T 2.0 L (1968-1969)  
Porsche 911 TU 2.0 L (1968)  
Porsche 911 L 2.0 L (1968-1969)  
Porsche 911 E 2.0 L (1969)

Porsche 911 E 2.4 L (1972-1973)  
Porsche 911 S 2.4 L (1972-1973)

Porsche 911 TV 2.4 L (1972-1973)  
Porsche 911 TE 2.4 L (1972-1973)  
Porsche 911 TK 2.4 L (USA-CAN) (1973)  
Porsche 911 Carrera 2.7 L (1973)

Quantity required per vehicle in this application: 3

- it is used as a **stud to secure the left timing chain housing** to the engine crankcase:

Porsche 911 S 2.0 L (1969)  
Porsche 911 T 2.0 L (1969)  
Porsche 911 L 2.0 L (1969)  
Porsche 911 E 2.0 L (1969)

Porsche 911 E 2.4 L (1972-1973)  
Porsche 911 S 2.4 L (1972-1973)  
Porsche 911 TV 2.4 L (1972-1973)  
Porsche 911 TE 2.4 L (1972-1973)  
Porsche 911 TK 2.4 L (USA-CAN) (1973)  
Porsche 911 Carrera 2.7 L (1973)

Porsche 911 2.7 L (1974-1977)  
Porsche 911 S 2.7 L (1974-1977)  
Porsche 911 S Carrera 2.7 L (1975) (USA-CAN)  
Porsche 911 S Carrera 2.7 L (1975) (Version for California)  
Porsche 911 Carrera 2.7 L 129 KW / 175 HP. (1974) (USA-CAN)  
Porsche 911 Carrera 2.7 L (1974-1976)  
Porsche 911 Carrera 3.0 L (1976-1977)

Porsche 911 SC 3.0 L (1978-1983)  
Porsche 911 SC 3.0 L Sportomatic (1978-1980)

Porsche 911 Carrera 3.2 L (1984-1989)  
Porsche 911 Carrera 3.2 L Turbo-Look (1984)  
Porsche 911 Carrera 3.2 L Speedster (1989)

Porsche 911 Turbo 3.0 L Type 930 (1975-1977)  
Porsche 911 Turbo Carrera (USA-CAN) 3.0 L (1975-1977)

Porsche 911 Turbo 3.3 L Type 930 (1978-1989)

Porsche 914-6 2.0 L (1970-1972)  
Porsche 914-6 Sportomatic 2.0 L (1970-1971)

Quantity required per vehicle in this application: 2

- it is used as a **stud on the right-side engine crankcase** :

Porsche 911 S 2.0 L (1969)

Porsche 911 T 2.0 L (1969)  
Porsche 911 L 2.0 L (1969)  
Porsche 911 E 2.0 L (1969)

Porsche 911 E 2.4 L (1972-1973)  
Porsche 911 S 2.4 L (1972-1973)  
Porsche 911 TV 2.4 L (1972-1973)  
Porsche 911 TE 2.4 L (1972-1973)  
Porsche 911 TK 2.4 L (USA-CAN) (1973)  
Porsche 911 Carrera 2.7 L (1973)

Porsche 911 2.7 L (1974-1977)  
Porsche 911 S 2.7 L (1974-1977)  
Porsche 911 S Carrera 2.7 L (1975) (USA-CAN)  
Porsche 911 S Carrera 2.7 L (1975) (Version for California)  
Porsche 911 Carrera 2.7 L 129 KW / 175 HP. (1974) (USA-CAN)  
Porsche 911 Carrera 2.7 L (1974-1976)  
Porsche 911 Carrera 3.0 L (1976-1977)

Porsche 911 SC 3.0 L (1978-1983)  
Porsche 911 SC 3.0 L Sportomatic (1978-1980)

Porsche 911 Carrera 3.2 L (1984-1989)  
Porsche 911 Carrera 3.2 L Turbo-Look (1984)  
Porsche 911 Carrera 3.2 L Speedster (1989)

Porsche 911 Turbo 3.0 L Type 930 (1975-1977)  
Porsche 911 Turbo Carrera (USA-CAN) 3.0 L (1975-1977)

Porsche 911 Turbo 3.3 L Type 930 (1978-1989)

Porsche 914-6 2.0 L (1970-1972)  
Porsche 914-6 Sportomatic 2.0 L (1970-1971)

Porsche 959 (1987-1988)

Quantity required per vehicle in this application: 3

- it is used as a **stud to secure the carburetor intake manifolds** (4 studs per side) in the following vehicles:

Porsche 356 A (1956-1959) Pallas-Zénith 32NDIX carburetors  
356 A Coupé/Cabrio/Speedster 1.6 L Engine Type 616/1  
(1956/1957/1958/1959)\*  
356 A Coupé/Cabrio/Speedster 1.6 L Engine Type 616/2  
(1956/1957/1958/1959)\*

\* 1600/1600S Engines: Type 616/1: 60 HP. – Type 616/2: 75 HP.

356 B Carrera GT / Abarth GLT 1.6 L Engine Type 692/3A 135 HP. (1961)

Quantity required per vehicle in this application: 8

- it is used as a **stud to secure the throttle body to the intake manifold** of the following K-Jetronic vehicles:

Porsche 911 Turbo 3.0 L Type 930 (1975-1977)  
Porsche 911 Turbo Carrera (USA-CAN) 3.0 L (1975-1977)

Quantity required per vehicle in this application: 2

- it is used as a **stud to fasten the # 3 cylinder intake manifold pipe** in the following K-Jetronic vehicles:

Porsche 911 SC 3.0 L (1978-1983)  
Porsche 911 SC 3.0 L Sportomatic (1978-1980)

Quantity required per vehicle in this application: 2

- is used as a **stud to secure the front transmission case to the transmission mount** in the following vehicles (Sportomatic transmissions included):

Porsche 911 S 2.0 L (1969)  
Porsche 911 T 2.0 L (1969)  
Porsche 911 L 2.0 L (1969)  
Porsche 911 E 2.0 L (1969)

Porsche 911 T 2.2 L (1970)  
Porsche 911 E 2.2 L (1970)  
Porsche 911 S 2.2 L (1970)

Porsche 911 E 2.4 L (1972-1973)  
Porsche 911 S 2.4 L (1972-1973)  
Porsche 911 TV 2.4 L (1972-1973)  
Porsche 911 TE 2.4 L (1972-1973)  
Porsche 911 TK 2.4 L (USA-CAN) (1973)  
Porsche 911 Carrera 2.7 L (1973)

Porsche 911 2.7 L (1974-1977)  
Porsche 911 S 2.7 L (1974-1977)  
Porsche 911 S Carrera 2.7 L (1975) (USA-CAN)  
Porsche 911 S Carrera 2.7 L (1975) (Version pour la Californie)  
Porsche 911 Carrera 2.7 L 129 KW / 175 HP. (1974) (USA-CAN)  
Porsche 911 Carrera 2.7 L (1974-1976)  
Porsche 911 Carrera 3.0 L (1976-1977)

Porsche 911 SC 3.0 L (1978-1983)  
Porsche 911 SC 3.0 L Sportomatic (1978-1980)

Quantity required per vehicle in this application: 4

- it is used as a **stud to fasten the front transmission housing to the main transmission case** in the following vehicles:

Porsche 911 Turbo 3.0 L Type 930 (1975-1977)  
Porsche 911 Turbo Carrera (USA-CAN) 3.0 L (1975-1977)

Porsche 911 Turbo 3.3 L Type 930 (1978-1989)

Porsche 924 (1976-1979)  
Porsche 924 Turbo (1979)

Quantity required per vehicle in this application: 6

- it is used as a **transmission case stud** in the following vehicles:

Porsche 911 Carrera 3.2 L (1987-1989)  
Porsche 911 Carrera 3.2 L Speedster (1989)

Porsche 964 Carrera 4 (1989-1994)  
Porsche 964 Carrera 2 (1990-1994)  
Porsche 964 Carrera 2 Tiptronic (1990-1994)  
Porsche 964 Carrera 2 Speedster (1993-1994)  
Porsche 964 Carrera RS M003 Club-Sport Version (1992)  
Porsche 964 Carrera RS M002 Touring Version (1992)  
Porsche 964 Carrera RS America (USA-CAN) (1992-1993)  
Porsche 964 Carrera 2 Turbo-Look (1992-1994)  
Porsche 964 Carrera 4 Turbo-Look (1991-1994)

Porsche 964 Turbo 3.3 L (1991-1992)  
Porsche 964 Turbo 3.6 L Type 965 (1993-1994)

Porsche 993 Carrera (1994-1998)  
Porsche 993 Carrera Tiptronic (1994-1998)  
Porsche 993 Carrera RS (1995-1996)  
Porsche 993 Carrera 4 (1995-1998)  
Porsche 993 Carrera Turbo-Look (1996-1998)  
Porsche 993 Carrera S (1997-1998)  
Porsche 993 Carrera 4S (1996-1998)

Porsche 993 Turbo S (1997-1998)  
Porsche 993 Turbo (1995-1998)  
Porsche 993 Turbo C4 (1996-1998)

Quantity required per vehicle in this application: 1

**Note:** this part is sold individually.