SARL JEAN BUSER

DISTRIBUTOR OF MECHANICAL COMPONENTS AND ACCESSORIES FOR PORSCHE AUTOMOBILES

4, Rue Édouard Vaillant 92300 Levallois-Perret, France Telephone : 01 4140 0000 Facsimile : 01 4140 0781

www.jeanbuser.com

964.010239A1: Hose clamp (16-27 mm.) for fuel / vacuum / oil lines

Our hose clamp with an adjustable diameter of 16-27 mm. and a width of 9 mm. for the fuel / vacuum / oil lines has several uses in the Porsche parts program.

All different locations and uses for this hose clamp on each vehicle are given below (quantities required per application are given between parentheses):

1. Porsche 911 Turbo 3.3 L (1981-86):

- as a clamp for the lower hoses for the turbocharger oil separator (2);

2. Porsche 911 Carrera 3.2 L + 911 Turbo 3.3 L (1984-89):

- as a clamp for the connecting hoses to the fuel expansion tank (4);

3. Porsche 911 Turbo 3.3 L (1987-89):

- as a clamp for the connecting hoses of the K-Jetronic intake manifold (4) ;

4. Porsche 964 Carrera 2/4/RS 3.6 L (1989-94) + 964 Turbo 3.3 L / 3.6 L (1991-94):

- as a hose clamp for the small diameter oil breather hose on the oil tank (fitted to the lower small tank fitting) (1) ;

- as a clamp for the outer protective sleeve for the crossover oil line from the engine crankcase to the oil filter console (2) ;

- as a clamp for the hose connected to the breather line for the activated charcoal canister for the fuel tank ventilation (1) ;

- as a clamp to secure the oil hose and oil lines for the power steering pump and oil tank (4);

5. Porsche 964 Turbo 3.3 L + 964 Turbo 3.6 L (1991-94):

- as a clamp for the vacuum limiter and the K-Jetronic intake manifold hoses (3);

6. Porsche 993 Carrera 3.6 L (1994-98) + 993 Turbo 3.6 L (1995-98):

- as a hose clamp for the small diameter oil breather hose on the oil tank (fitted to the lower small tank fitting) (1) ;

as a clamp to secure the oil hose and oil lines for the power steering pump and oil tank (4);

7. Porsche 996 Turbo / GT2 3.6 L (2001-05) :

- as a clamp for the upper breather hose for the oil tank (fitted to the small size upper tank fitting) (2);

8. Porsche 996 GT3 3.6 L (1999-2001) :

- as a clamp to secure the oil tank's upper breather hose located above the intake manifold (2);

9. Porsche 996 GT3 3.6 L (2004-2005) :

- as a clamp to secure the air hose going from the secondary air injection pump to the air injection cutoff valve (2) ;

10. Porsche 997 Turbo / GT2 3.6 L (2007-09) :

- as a clamp to secure the water supply hose from the water pump to the turbocharger (2);

11. Porsche Carrera GT 5.7 L (2004-06) :

- as a clamp for the air hoses for the air injection pumps (4);

12. Porsche 924 2.0 L (1976-79) + Porsche 924 Turbo 2.0 L (1979) :

- as a clamp for the oil breather hoses on the engine crankcase (2) ;

- as a clamp for the hose connected to the air filter box (2) ;

- as a clamp for the hose connected to the intake manifold and the auxiliary air regulator (2);

- as a clamp to secure the overflow hose for the fuel filler neck (2);

- as a clamp to secure the heat exchanger and the heater valve hoses (5);

13. Porsche 924 2.0 L naturally aspirated (1980-84):

- as a clamp for the oil breather hoses on the engine crankcase (2);

- as a clamp for the hose connected to the air filter box (2);

- as a clamp for the hose connected to the intake manifold and the auxiliary air regulator (2);

- as a clamp to secure the heat exchanger and the heater valve hoses (5);

14. Porsche 924 Turbo 2.0 L (1982-85) + Porsche 924 GT (1981):

- as a clamp to secure the elbow-shaped hose to the cylinder head (2);

- as a clamp to secure the connecting hose between the turbocharger oil return pipe and the oil vent pipe (2) ;

- as a clamp to secure the heat exchanger and the heater valve hoses (5);

15. Porsche 924 S 2.5 L (1986-88) :

- as a clamp to secure the heater pipe hose between the water pump and the heater core (1);

- as a clamp to secure the idle control valve hoses (2);

- as a clamp to secure the connecting hoses for the fuel tank's activated charcoal canister and the fuel breather value (5);

- as a clamp to secure the fuel screen immersed inside the fuel tank (1);

- as a clamp to secure the vacuum hoses for the vehicle's vacuum brake booster (9) ;

- as a clamp to secure the heat exchanger and the heater valve hoses (3);

16. Porsche 928 4.5 L (1978-82) + Porsche 928 S 4.7 L (1980-82):

- as a clamp to secure the fuel screen immersed inside the fuel tank (1);
- as a clamp to secure the passenger compartment's intake and return heater hoses and water drain hose (6);

17. Porsche 928 S 4.7 L (1983-86):

- as a clamp to secure the fuel screen immersed inside the fuel tank (1) ;

- as a clamp to secure the vacuum hoses for the vehicle's vacuum brake booster (7);

- as a clamp to secure the passenger compartment's intake and return heater hoses and water drain hose (6) ;

18. Porsche 928 S4 5.0 L (1987-91) + Porsche 928 S4 CS Club-Sport 5.0 L (1988-89) + Porsche 928 GT 5.0 L (1989-91):

- as a clamp to secure the elbow-shaped bottom hose for the power steering pump's oil reservoir (1) ;

- as a clamp to secure the passenger compartment's intake and return heater hoses and water drain hose (6) ;

19. Porsche 928 GTS 5.4 L (1992-95) :

- as a clamp to secure the fuel screen immersed inside the fuel tank (1);

- as a clamp to secure the flexible hose on the vehicle's fuel pump (1);

- as a clamp to secure the elbow-shaped bottom hose for the power steering pump's oil reservoir (1);

- as a clamp to secure the passenger compartment's intake and return heater hoses and water drain hose (6) ;

20. Porsche 944 2.5 L (1982-85) :

- as a clamp to secure the heater pipe hose between the water pump and the heater core (1);

- as a clamp to secure auxiliary air regulator hoses for the K-Jetronic fuel injection system (3) ;

- as a clamp to secure the connecting hoses for the fuel tank's activated charcoal canister and the fuel breather valve (5);

- as a clamp to secure the fuel screen immersed inside the fuel tank (1);

- as a clamp to secure the vacuum hoses for the vehicle's vacuum brake booster (9) ;

- as a clamp to secure the heat exchanger and the heater valve hoses (3);

21. Porsche 944 2.5 L (1985-87) + Porsche 944 S 2.5 L (1987-88) + Porsche 944 S2 3.0 L (1989-91) + Porsche 944 Turbo 2.5 L (1986-1988) + Porsche 944 Turbo S 2.5 L (1987-88):

- as a clamp to secure the heater pipe hose between the water pump and the heater core (1);

- as a clamp to secure the fuel screen immersed inside the fuel tank (1) ;

- as a clamp to secure the elbow-shaped bottom hose for the power steering pump's oil reservoir (1);

- as a clamp to secure the vacuum hoses for the vehicle's vacuum brake booster (9) ;

- as a clamp to secure the heat exchanger and the heater valve hoses (6);

22. Porsche 944 S 2.5 L (1987-88):

- as a clamp to secure the idle control valve hoses (2);

23. Porsche 944 2.7 L (1989):

- as a clamp to secure the idle control valve hoses (2) ;

24. Porsche 944 2.7 L (1989) + Porsche 944 Turbo 2.5 L (1989-91):

- as a clamp to secure the heater pipe hose between the water pump and the heater core (1) ;

25. Porsche 944 2.7 L (1989) + Porsche 944 S2 3.0 L (1989-91) + Porsche 944 Turbo 2.5 L (1989-91):

- as a clamp to secure the fuel screen immersed inside the fuel tank (1);

- as a clamp to secure the elbow-shaped bottom hose for the power steering pump's oil reservoir (2);

- as a clamp to secure the heat exchanger and the heater valve hoses (6);

- as a clamp to secure the vacuum hoses for the vehicle's vacuum brake booster (3)*

* 1989-1990 models only.

26. Porsche 968 3.0 L (1992-1995) + Porsche 968 3.0 L Club Sport Version (1993-1995) + Porsche 968 Turbo S 3.0 L (1993-94):

- as a clamp to secure the fuel screen immersed inside the fuel tank (1);

- as a clamp to secure the heat exchanger and the heater valve hoses (6);

27. Porsche 959 2.85 L (1987-88):

- as a clamp to secure the hoses connected to the front fuel pumps (2) ;

- as a clamp to secure the elbow-shaped bottom hose for the power steering pump's oil reservoir (2);

- as a clamp to secure the heater hoses for the passenger compartment cabin (12);

Note: this part is sold individually.