SARL JEAN BUSER

DISTRIBUTOR OF MECHANICAL COMPONENTS AND ACCESSORIES FOR PORSCHE AUTOMOBILES

4, Rue Édouard Vaillant 92300 Levallois-Perret, France Telephone : 01 4140 0000 Facsimile : 01 4140 0781

www.jeanbuser.com

911.030092: Shift guide sleeve, 2nd to 5th gear 911/912 (65-69) + 914 + 3rd to 4th gear 911 (72-86)

Our **three-pronged transmission shift guide sleeve** has several uses as original equipment in the Porsche parts program.

Scroll down the list below to find your vehicle. For each Porsche vehicle type the complete list of uses of this guide sleeve pin is given as well as the quantities required in each application.

1. On the following vehicles equipped with a **manual 5-speed transmission**, this sleeve is used as a **shift guide sleeve between the 2nd and 3rd gear as well as between the 4th and the 5th gear:**

Porsche 911 2.0 L (1965-1968)
Porsche 911 S 2.0 L (1967-1969)
Porsche 911 T 2.0 L (1968-1969)
Porsche 911 TU / 911 L 2.0 L (1968)
Porsche 911 E 2.0 L (1969)
Porsche 911 T / 911 E / 911 S 2.2 L (1970-1971)
Porsche 912 1.6 L (1966-1969)
Porsche 914-4 1.7 L (1970-1973)
Porsche 914-4 1.8 L (USA/CAL) (1974-1976)
Porsche 914-4 Type V 1.8 L (1974-1976)
Porsche 914-4 2.0 L (1973-1976)

Porsche 914-6 2.0 L (1970-1972)

In this application a guide sleeve is placed between the free-wheeling gears for the 2nd and 3rd speed on the transmission's secondary (pinion) shaft and another guide sleeve is placed between the free-wheeling gears for the 4th and the 5th speed on the transmission's main shaft.

Quantity required per vehicle in this application: 2

2. On the following vehicles equipped with a **manual 5-speed transmission**, this sleeve is used as a **shift guide sleeve between the 3**rd **and 4**th **gear**:

Porsche 911 E / 911 S 2.4 L (1972-1973) Porsche 911 T-V / 911 T-E / 911 T-K 2.4 L (1972-1973) Porsche 911 Carrera 2.7 L (1973-1975) Porsche 911 2.7 L (1974-1977) Porsche 911 S 2.7 L (1974-1977) Porsche 911 Carrera 3.0 L (1976-1977) Porsche 911 SC 3.0 L (1978-1983) Porsche 911 Carrera 3.2 L (1984-1986)

Porsche 911 Carrera 3.2 L Turbo-Look (1984-1986)

In this application a guide sleeve is placed between the free-wheeling gears for the **3rd** and **4th speed** on the transmission's **main shaft**.

Quantity required per vehicle in this application: 1

3. On the following vehicles equipped with a **manual 5-speed transmission**, this sleeve is used as a **shift guide sleeve between the 4**th **and 5**th **gear**:

Porsche 924 2.0 L with manual 5-speed transmissions (1978-1979)

Porsche 924 Turbo 2.0 L (1979-1984)

Porsche 924 Carrera GT 2.0 L (1981)

In this application a guide sleeve is placed between the free-wheeling gears for the **4**th **and 5**th **speed** on the transmission's **main shaft**.

Quantity required per vehicle in this application: 1

4. On the following vehicles equipped with a **manual 4-speed transmission**, this sleeve is used as a **guide sleeve between the 1st and 2nd gear as well as between the 3rd and the 4th gear**:

Porsche 911 2.0 L (1965-1968) Porsche 911 S 2.0 L (1967-1969) Porsche 911 T 2.0 L (1968-1969) Porsche 911 TU 2.0 L (1968) Porsche 911 L 2.0 L (1968) Porsche 911 E 2.0 L (1969) Porsche 911 E / 911 S 2.2 L (1970) Porsche 911 T 2.2 L (1970-1971) Porsche 912 1.6 L (1966-1969)

In this application a guide sleeve is placed between the free-wheeling gears for the 1st and 2nd speed on the transmission's secondary (pinion) shaft and another guide sleeve is placed between the free-wheeling gears for the 3rd and the 4th speed on the transmission's main shaft.

Quantity required per vehicle in this application: 2

5. On the following vehicles equipped with a **manual 4-speed transmission**, this guide sleeve is used as a **guide sleeve between the 3rd and the 4th gear**:

Porsche 911 E / 911 S 2.4 L (1972-1973) Porsche 911 T-V / 911 T-E / 911 T-K 2.4 L (1972-1973) Porsche 911 Carrera 2.7 L (1973-1975) Porsche 911 2.7 L (1974-1977) Porsche 911 S 2.7 L (1974-1977) Porsche 911 Carrera 3.0 L (1976-1977)

In this application a guide sleeve is placed between the free-wheeling gears for the **3rd** and the **4th speed** on the transmission's main shaft.

Quantity required per vehicle in this application: 1

6. On the following vehicles equipped with a **Sportomatic 4-speed transmission**, this sleeve is used as a **guide sleeve between the 1st and 2nd gear as well as between the 3rd and the 4th gear**:

Porsche 911 Coupé / Targa Sportomatic 2.0 L (USA/CAN) (1968)
Porsche 911 T Coupé / Targa Sportomatic 2.0 L (1968-1969)
Porsche 911 L Coupé / Targa Sportomatic 2.0 L (1968)
Porsche 911 S Coupé / Targa Sportomatic 2.0 L (1968)
Porsche 911 E Coupé Sportomatic 2.0 L (1969)
Porsche 911 T Coupé / Targa Sportomatic 2.2 L (1970-1971)
Porsche 911 T Coupé / Targa Sportomatic 2.2 L (1970-1971)
Porsche 911 T Coupé / Targa Sportomatic 2.2 L (1970-1971)
Porsche 911 T Coupé / Targa Sportomatic 2.2 L (1972-1973)
Porsche 911 S Coupé / Targa Sportomatic 2.4 L (1972-1973)
Porsche 911 TE Coupé Sportomatic 2.4 L (USA/CAN) (1972-1973)
Porsche 911 TE Coupé Sportomatic 2.4 L (USA/CAN) (1972)
Porsche 911 TK Coupé / Targa Sportomatic 2.4 L (USA/CAN) (1973)
Porsche 911 Coupé / Targa Sportomatic 2.4 L (USA/CAN) (1973)

Porsche 911 S Coupé / Targa Sportomatic (4-speed transmission) (USA/CAN/CAL) (1975)

Porsche 911 S Carrera Sportomatic (4-speed transmission) (USA/CAN/CAL) (1975)

Porsche 911 Carrera 2.7 L Sportomatic (4-speed transmission) (1974-1975)

Porsche 914-6 Sportomatic (1970-1971)

In this application a guide sleeve is placed between the free-wheeling gears for the 1st and 2nd speed on the transmission's secondary (pinion) shaft and another guide sleeve is placed between the free-wheeling gears for the 3rd and the 4th speed on the transmission's main shaft.

Quantity required per vehicle in this application: 2

7. On the following vehicles equipped with a **Sportomatic 3-speed transmission**, this sleeve is used as a **guide sleeve between the 1st and 2nd gear as well as for the 3rd gear**:

Porsche 911 Coupé / Targa Sportomatic with 3-speed transmission (USA/CAN/CAL) (1975-1977)

Porsche 911 S Coupé / Targa Sportomatic with 3-speed transmission (USA/CAN/CAL) (1975-1977)

Porsche 911 S Carrera Sportomatic with 3-speed transmission (USA/CAN/CAL) (1975-1977)

Porsche 911 SC 3.0 L Sportomatic (1978-1980)

In this application a guide sleeve is placed between the free-wheeling gears for the **1**st and **2**nd speed on the transmission's secondary (pinion) shaft and another guide sleeve is placed next to free-wheeling gear for the **3**rd speed on the transmission's main shaft.

Quantity required per vehicle in this application: 2